





Built-in double relay RCD (Residual Current Device)

Quickly cuts off the primary circuit (live and neutral) to ensure user safety during showers.

Metal plate

Double protection to the main power board.

Fire-retardant material

For an extra measure of protection, Sharp water heaters are equipped with fire-retarded material and heater tank.

Simple and reliable knob

The easy-grip control knob comes in an elegant chrome finish, while stepless temperature control lets you easily adjust the water temperature to your preference.





Specifications



Product Model	WHN115B	WHN115SR	WHP315N	WHP315RN
Thermostat	Double Action/ Double Temperature	Double Action/ Double Temperature	Double Action/ Double Temperature	Double Action/ Double Temperature
Water Temperature Control	Electronic	Electronic	Electronic	Electronic
Min Flow Rate	2L/Min	2L/Min	2L/Min	2L/Min
Max Working Pressure	380kPa (55PSI)	380kPa (55PSI)	380kPa (55PSI)	380kPa (55PSI)
Dimension (WxHxD)mm	390 x 215 x 78			
Gift Box (WxLxH)	100 x 235 x 664	100 x 235 x 664	100 x 235 x 664	858 x 110 x 345
Outer Carton Box (WxLxH)	533 x 250 x 685	533 x 250 x 685	533 x 250 x 685	875 x 465 x 373
Pump	Without Pump	Without Pump	With DC Pump	With DC Pump
Gross Weight	2.70 kgs	3.10 kgs	3.60 kgs	5.30 kgs
Power (kw)	3.6	3.6	3.6	3.6
Voltage (V)	240	240	240	240
Build-in Surge Protector	Yes	Yes	Yes	Yes
Shower Head Type of Spray		5 in 1	5 in 1	5 in 1
Shower Head Colour	White	White	Silver	Silver
External Tap	White	White	Silver	Silver
Splash Proof (P25)	Yes	Yes	Yes	Yes
Electronic Temperature Control	Yes	Yes	Yes	Yes
High Quality Stop Valve	Yes	Yes	Yes	Yes
Leak Proof Heater Tank	Yes	Yes	Yes	Yes
Features				
Built-in Residue Current Devices (RCD)	Yes	Yes	Yes	Yes
Flow Sensor	Yes	Yes	Yes	Yes
Water Splash Proof Case	Yes	Yes	Yes	Yes
Auto-Thermal Cut-off	Yes	Yes	Yes	Yes
90 DEGREE STOP VALVE	Yes	Yes	Yes	Yes
RoHS Compliant	Yes	Yes	Yes	Yes
Heater Tank Material	Fire Retardant Material	Fire Retardant Material	Fire Retardant Material	Fire Retardant Materia

^{*} Features may vary between models. Please refer to the respective specifications for more information.



